

# On the Agenda Control Problem for Knockout Tournaments

Thuc Vu, Alon Altman, Yoav Shoham

## Abstract

Knockout tournaments are very common in practice for various settings such as sport events and sequential pairwise elimination elections. In this paper, we investigate the computational aspect of tournament agenda control, i.e., finding the agenda that maximizes the chances of a target player winning the tournament. We consider several modelings of the problem based on different constraints that can be placed on the structure of the tournament or the model of the players. In each setting, we analyze the complexity of finding the solution and show how it varies depending on the modelings of the problem. In general, constraints on the tournament structure make the problem become harder.

## 1 Introduction

Tournaments constitute a very common social institution. Their best known use is in sporting events, which attract millions of viewers and billions of dollars annually. But tournaments also play a key role in other social and commercial settings, ranging from the employment interview process to patent races and rent-seeking contests (see [12, 15, 9] for details).

Tournaments constitute a strict subclass of all competition formats, and yet they still allow for many different variations. All tournaments consist of *stages* during which several *matches* take place, matches whose outcome determines the set of matches in the next stage, and so on, until some final outcome of the tournament is reached. But tournaments vary in how many stages take place, which matches are played in each stage, and how the outcome is determined.

In this paper we focus on a narrower class of tournaments: *knockout* tournaments. In this very familiar format the players are placed at the leaf nodes of a binary tree. Players at sibling nodes compete against each other in a pairwise match, and the winner of the match moves up the tree. The player who reaches the root node is the winner of the tournament. We show an example in Figure 1.

The knockout tournament is not only a very popular tournament type used in practice for sporting events, but it is also a very common voting procedure. In the voting literature, it is referred to as sequential elimination voting with pairwise comparison [3, 8]. In this setting, each candidate is a player in the tournament, and the result of a match is based on the result of the pairwise comparison between the candidates as manifested in the electorate's votes. The result of the comparison can be either deterministic (as in [7]) or probabilistic (as in [11]).




Figure 1: An example of a tournament agenda for 6 players and one possible outcome

In this paper we investigate the computational aspect of controlling the tournament agenda by the tournament designer. Specifically, we study the problem of how to find a tournament agenda to maximize the chance of a given target player winning the tournament. This seemingly simple question turns out to be surprisingly subtle and some of the answers are counter-intuitive. To begin with, note that the number of possible agenda grows extremely quickly with the number of players. Moreover, there are several variations of the problem modeling which lead to very different characteristics of the solutions. In particular, when there are no constraints on the modeling of the problem, it is unknown whether there exists an efficient algorithm to find the optimal agenda. However, when we place certain natural constraints on the structure of the tournament and the match results between the players, the problem becomes either easy or provably hard.

In Section 2 we summarize the existing results from the literature. After that we first discuss the general model for tournament design in Section 3. We then describe in Section 4 and 5 different constraints that can be placed on the model and our results for these settings. We conclude in Section 6 and suggest possible directions for future work.

## 2 Related Works

There are two approaches to determining the quality of a tournament design. The first one is axiomatic. For example, in [14], three axioms are proposed to specify what a “good” seeding should satisfy, called “Delayed Confrontation”, “Sincerity Rewarded”, and “Favoritism Minimized”. Alternatively, in [6], a “Monotonicity” property is put forward.

In the second approach, rather than placing axiomatic constraints on the design, the goal is to optimize a certain quantity. The most common objective function is to find the design that maximizes the winning probability of the best player. This probability is also called the predictive power of the tournament. This has been the focus of much work (see, e.g., [5, 1, 13]). They all make the assumption that there is an ordering of the players based on their intrinsic abilities. In their models, the probability of one player winning against another is also known and is monotonic with regard to the abilities of the players, i.e., any player will have a higher chance of winning against a weaker player than winning against a stronger player. Nevertheless, they focus on only one type of tournament - balanced knockout tournaments, and only with small cases of  $n$ . In our work, we generalize the objective function to maximizing the winning probability of any given player, and we also consider various other modelings of the problem.

Tournament design problems are also addressed under the context of voting. In [7], the candidates are competing in an election based on sequential majority comparisons along a binary voting tree. In each comparison, the candidate with more votes wins and moves on; the candidate with less votes is eliminated. Essentially, the candidates are competing in a knockout tournament in which the result of each match is deterministic. The probability of winning a match is either 0 or 1. In this setting, without any constraints on the structure of the voting tree, there is a polynomial time algorithm to decide whether there exists a voting tree that will allow a particular candidate to win the election. The problem of finding the right voting tree (referred to as the “control” problem) is also addressed in [11] but with probabilistic comparison results instead. Here, the objective becomes finding a voting tree that allows a candidate to win the election with probability at least a certain value. In both [7, 11], the authors show that when the voting tree has to be balanced, some modified versions of the control problem are NP-complete.

The computational aspects of other methods of controlling an election are also considered in [2, 4]. Here, the organizer of the election is trying to change the result of the election through controls (such as adding or deleting) of the voters or candidates. It has been shown that for certain voting protocols, some methods of control are computationally hard to perform.

### 3 The general model and problem

We start out with the most general model of a knockout tournament. In this setting, there is no constraint on the structure of the tournament, as long as it only allows pairwise matches between players. We also assume that for any pairwise match, the probability of one player winning against the other is known. This probability can be obtained from past statistics or from some learning models. Here we do not place any constraints on the probabilities besides the fundamental properties. Thus there might be no transitivity between the winning probabilities, e.g., player  $i$  has more than 50% chance of beating player  $j$ , player  $j$  has more than 50% chance of beating player  $k$ , but player  $k$  also has more than 50% chance of beating player  $i$ .

We define a knockout tournament as the following:

**Definition 1** (General Knockout Tournament). *Given a set  $N$  of players and a matrix  $P$  such that  $P_{i,j}$  denotes the probability that player  $i$  will win against player  $j$  in a pairwise elimination match and  $0 \leq P_{i,j} = 1 - P_{j,i} \leq 1$  ( $\forall i, j \in N$ ), a knockout tournament  $KT_N = (T, S)$  is defined by:*

- A tournament structure  $T$  which is a binary tree with  $|N|$  leaf nodes
- A seeding  $S$  which is a one-to-one mapping between the players in  $N$  and the leaf nodes of  $T$

We write  $KT_N$  as  $KT$  when the context is clear.

To carry out the tournament, each pair of players that are assigned to sibling leaf nodes with the same parent compete against each other in a pairwise elimination match. The winner of the match then "moves up" the tree and then competes against the winner of the other branch. The player who reaches the root of the tournament tree wins the tournament.

Intuitively the probability of a player winning the tournament depends on the probability that it will face a certain opponent and win against that opponent. We formally define this quantity below:

**Definition 2** (Probability of Winning Tournament). *Given a set  $N$  of players, a winning probability matrix  $P$ , and a knockout tournament  $KT_N = (T, S)$ , the probability of player  $k$  winning the tournament  $KT_N$ , denoted  $q(k, KT_N)$  is defined by the following recursive formula:*

1. If  $N = \{j\}$ , then  $q(k, KT_N) = \begin{cases} 1 & \text{if } k = j \\ 0 & \text{if } k \neq j \end{cases}$
2. If  $|N| \geq 2$ , let  $KT_{N_1} = (T_1, S_1)$  and  $KT_{N_2} = (T_2, S_2)$  be the two sub-tournaments of  $KT$  such that  $T_1$  and  $T_2$  are the two subtrees connected to the root node of  $T$ , and  $N_1$  and  $N_2$  are the set of players assigned to the leaf nodes of  $T_1$  and  $T_2$  by  $S_1$  and  $S_2$  respectively. If  $k \in N_1$  then

$$q(k, KT_N) = \sum_{i \in N_2} q(k, KT_{N_1}) * q(i, KT_{N_2}) * P_{k,i}$$

and symmetrically for  $k \in N_2$ .

This recursive formula also gives us an efficient way to calculate  $q(k, KT)$ :

**Proposition 1.** *Given a set  $N$  of players, a winning probability matrix  $P$ , and a knockout tournament  $KT_N = (T, S)$ , the complexity of calculating  $q(k, KT)$  with  $k \in N$  is  $O(|N|^2)$ .*

*Proof.* First note that the number of operations is linear in the number of pairs  $(i, j)$  with  $i, j \in N$  we consider. Moreover, for a given  $i, j \in N$  we match up  $i$  and  $j$  only once. Thus the complexity is  $O(|N|^2)$ .  $\square$

Given a set of players  $N$  and the winning probabilities  $P$  between the players, the goal of the tournament designer is to come up with the tournament structure  $T$  and the seeding  $S$  that will maximize the probability of a given player  $k \in N$  winning the tournament. This optimization




Figure 2: Biased knockout tournament  $KT'$  that maximizes the winning chance of  $k$




Figure 3: Knockout tournament  $KT$

problem has a decision version which asks if there exist  $T$  and  $S$  such that the probability of  $k$  winning the tournament is greater than a given value  $\theta$ .

The first intuition for the optimization problem is that the later any player plays in the tournament, the better chance she has of winning the tournament. We state and prove this intuition in the following proposition.

**Proposition 2.** *Given a set of players  $N$  and the winning probability matrix  $P$ , the tournament agenda that maximizes the probability of player  $k \in N$  has the biased structure as in Figure 2 in which  $k$  has to play only the final match.*

*Proof.* We will prove this theorem by induction.

*Base case:* When  $|N| = 2$ , there is only one possible binary tree with 2 leaf nodes.

*Inductive step:* Assume that the theorem holds for  $N$  with  $|N| \leq n - 1$ . For any given  $k \in N$ , we will show that it also holds for  $N$  with  $|N| = n$  by converting any tournament agenda that does not have a biased structure to one with the same structure as in Figure 2 such that in this new tournament,  $k$  has at least the same chance of winning.

Let's consider any given tournament agenda  $KT$  that does not have the biased structure. Let  $KT_1$  and  $KT_2'$  be the two disjoint sub-tournaments that make up  $KT$ , and let  $N_1, N_2'$  be the set of players assigned to  $KT_1, KT_2'$  respectively. Assume wlog that  $k \in N_2'$ . Since  $|N_2'| < |N|$ , the chance of  $k$  winning the tournament is maximized when  $KT_2'$  has the biased structure. Therefore we just need to compare the chance of  $k$  winning in  $KT$  (as shown in Figure 3) with its chance in  $KT'$  as shown in Figure 2:

$$\begin{aligned}
 q(k, KT) &= \sum_{i \in N_2'} [p_{k,i} * q(i, KT_2)] * \sum_{j \in N_1} [p_{k,j} * q(j, KT_1)] \\
 q(k, KT') &= \sum_{j \in N_1, i \in N_2} p_{k,i} * q(i, KT_2) * p_{i,j} * q(j, KT_1) \\
 &\quad + \sum_{j \in N_1, i \in N_2} p_{k,j} * q(j, KT_1) * p_{j,i} * q(i, KT_2) \\
 q(k, KT') - q(k, KT) &= \sum_{j \in N_1, i \in N_2} q(j, KT_1)q(i, KT_2) [p_{k,j} * p_{j,i} + p_{k,i} * p_{i,j} - p_{k,i} * p_{k,j}]
 \end{aligned}$$

$$p_{i,j} + p_{j,i} = 1 \Rightarrow p_{k,j} * p_{j,i} + p_{k,i} * p_{i,j} \geq \min\{p_{k,i}, p_{k,j}\} \geq p_{k,i} * p_{k,j}$$

Therefore we have  $q(k, KT') \geq q(k, KT)$ . □

Even though we know something about the shape of the optimal tournament structure, it is still an open problem whether there exists an efficient algorithm to find the exact optimal structure. However, when there are certain natural constraints on the structures of the tournament or the winning probabilities of the players, we manage to get a better analysis of the problem. In the next sections we will discuss the constraints and the results in the new settings.

## 4 A constraint on the structure of the tournament

In the previous section, we have shown that the optimal tournament structure is very unbalanced with the target player on one side and the rest of the players on the other side of the tree. One might say that this structure is unfair since the target player will have to compete only in the final match. One particular way to enforce fairness is to require the tournament structure to be a balanced binary tree (for simplicity, we assume that the number of players is a power of 2). This way, every player has to play the same number of matches in order to win the tournament.

**Definition 3** (Balanced Knockout Tournament). *Given a set  $N$  of players such that  $|N| = 2^k$ , a knockout tournament  $KT = (T, S)$  is called balanced when  $T$  is a balanced binary tree.*

The balanced knockout tournament is in fact the most commonly used knockout tournament format in practice. In this setting, since the structure of the tournament is fixed, the remaining control of the tournament designer is in the seeding of the tournament, i.e., the assignment of players to the leaf nodes of the tree. Thus our previous problem is reduced to finding the seeding that will maximize the winning probability of a particular player. We have the following hardness result for the decision version of this problem:

**Theorem 3.** *Given a set  $N$  of players such that  $|N| = 2^k$ , and a winning probability matrix  $P$ , it is NP-complete to decide whether there exists a balanced knockout tournament  $KT$  such that  $q(k, KT) \geq \delta$  for a given  $\delta$  and  $k \in N$ .*

This theorem follows from Theorem 5. Therefore we will defer the discussion of the proof of this theorem to the next section. Note that the same result holds when the number of players is not a power of 2. In this case, when there is an odd number of players at any round, the tournament designer can let any player advance to the next round without competing. This allows certain bias, e.g., if the number of players is  $2^k + 1$ , then the target player can actually advance straight to the final match. Nevertheless, it is still NP-hard to find the optimal agenda for the target player.

## 5 Constraints on the player model

Besides placing a constraint on the structure of the tournament, we can also enforce certain constraints on the winning probabilities between the players. One such constraint can be on the possible values that the probabilities can take. Another constraint is a certain overall structure that the probabilities need to satisfy. We will discuss both types of constraints below.

### 5.1 Win-Lose Match Results

The first constraint we consider is requiring the result of each match to be deterministic, i.e., winning probabilities can only be either 0 or 1. As mentioned in Section 2, a knockout tournament in this setting is analogous to a sequential pairwise elimination election. Given a tournament agenda, a player in the tournament will either win the tournament for certain (winning with probability 1) or will lose for certain (winning with probability 0). Note that the winning probability matrix can be any arbitrary binary matrix.

When there is no constraint on the structure of the tournament, as shown in [7], there exists a polynomial time algorithm to find the tournament agenda that allows a given player  $k$  to win the tournament or decide that it is impossible for  $k$  to win. When the tournament has to be balanced, it is still an open problem.

We shall now discuss another problem model that we believe will be helpful for the understanding of the proof of Theorem 5. In this model, there is no constraint to the tournament tree, except that each player has to start from a pre-specified round. In other words, the tournament can take the shape of any binary tree, but each player has to start at certain depth of the tree.

**Definition 4** (Knockout Tournament with Round Placements). *Given a set  $N$  of players and a winning probability matrix  $P$ , a vector  $R \in \mathbb{N}^{|N|}$ , if there exists a knockout tournament  $KT$  such that in  $KT$ , player  $i$  starts from round  $R_i$  (the leaf nodes with the maximum depth in the tree are considered to be at round 0), then  $R$  is called a feasible round placement and such tournament  $KT$  is called a knockout tournament with round placement  $R$ . When there is an odd number of players at any given round, one player playing at that round can automatically advance to the next round.*

Note that when all players have round placement 0, the tournament is balanced. We have the following hardness result:

**Theorem 4.** *Given a set of players  $N$ , the winning probability matrix  $P$  such that  $\forall i \neq j \in N$ ,  $P_{i,j} \in \{0, 1\}$ , and a feasible round placement  $R$ , it is NP-complete to decide whether there exists a tournament agenda  $KT$  with round placements  $R$  such that  $q(k, KT) \geq \delta$  for a given  $\delta$  and  $k \in N$ .*

*Proof.* It is easy to show that the problem is in NP. We will show the problem is NP-complete using a reduction from the Vertex Cover problem.

**Vertex Cover:** Given a graph  $G = \{V, E\}$  and an integer  $k$ , is there a subset  $C \subseteq V$  such that  $|C| \leq k$  and  $C$  covers  $E$ ?

**Reduction method:**

We construct a tournament  $KT = (T, S)$  with a special player  $o$  such that  $o$  wins  $KT$  with probability 1 if and only if there exists a vertex cover of size at most  $k$ .

$KT$  contains the following players<sup>1</sup>:

1. Objective player:  $o$  which starts at round 0.
2. Vertex players:  $\{v_i \in V\}$  which start at round 0. There are  $n = |V|$  such players.
3. Edge players:  $\{e_i \in E\}$ . There are  $m = |E|$  such players.  $e_i$  starts at round  $(n - k + i - 1)$ .
4. Filler players: For each round  $r$  such that  $(n - k + m) > r \geq (n - k)$ , there is one filler player  $f^r$  that starts at round  $r$ . Thus there are a total of  $m$  of them. They are meant for player  $o$ .
5. Holder players: For each round  $r$ , there are a set of holder players  $h_i^r$  (i.e., multiple copies of  $h^r$ ) that start at round  $r$ . These players are meant for the vertex players. The number of copies of  $h^r$  depends on the value of  $r$ :
  - If  $0 \leq r < (n - k)$ , there are  $(n - r - 1)$  of them
  - If  $(n - k) \leq r < (n - k + m)$ , there are  $(k - 1)$  of them
  - If  $(n - k + m) \leq r < (n + m)$ , there are  $(m + n - r - 1)$  of them

The winning probabilities between the players are assigned as in Table 5.1. In a nutshell:

1.  $o$  only wins against  $v_i$  and  $f$  with probability 1 (always wins) and loses against all others with probability 1 (always loses).
2.  $v_i$  always wins against  $h^r$ ,  $e_j$  that it covers, and  $v_{i'}$  with  $i' > i$ . It always loses against all other players.
3.  $e_j$  always wins against  $h^r$ ,  $f$ ,  $e_{j'}$  with  $j' > j$ .
4. Between two  $f^r$  players, the winner can be either one of them.
5. Between two  $h^r$  players, the winner can be either one of them.

	$o$	$v_j$	$e_j$	$f^r$	$h_i^r$
$o$	-	1	0	1	0
$v_i$	-	1 if $i \leq j$ , 0 otherwise	1 if $v_i$ covers $e_j$ , 0 otherwise	0	1
$e_i$	-	-	1 if $i \leq j$ , 0 otherwise	1	1
$f^r$	-	-	-	arbitrary	1
$h_i^r$	-	-	-	-	arbitrary

Table 1: The winning probabilities of row players against column players in  $KT$

The reduction is polynomial since the numbers of players in the tournament is polynomial.

We first need to show how to construct an agenda  $KT$  that lets  $o$  win with probability 1 if there exists a vertex cover  $C$  of size at most  $k$ . The desired  $KT$  is composed of three phases:

*Phase 1:* Phase 1 is the first  $(n - k)$  rounds. In this phase, we eliminate all vertex players that are not in  $C$  while keeping the remaining vertex players, and  $o$ . At each round  $r$ , match up  $o$  with  $v' \notin C$  and let each of the  $(n - r)$  holder players  $h^r$  match up with the remaining  $v_i$ . Notice that after each round, one vertex player gets eliminated and there is one less  $h^r$ . After  $(n - k)$  rounds, there are  $k$  vertex players left. Each of them corresponds to a vertex in  $C$ .

*Phase 2:* Phase 2 is the following  $m$  rounds. In this phase, we eliminate all edge players. For each round, we match up  $o$  with  $f^r$ . At each round  $r$ , there will be one edge player  $e$  starting at that round. We match  $e$  against  $v_i \in C$  that covers it. For the remaining vertex players, we match them up with  $(k - 1)$  holder players  $h^r$ . After  $m$  rounds, all of the edge players will be eliminated (since the  $k$  vertex players left form a vertex cover). The remaining players at the end of this phase are  $k$  vertex players and  $o$ .

*Phase 3:* Phase 3 is the final  $k$  rounds after Phase 2. In this phase, we eliminate the remaining vertex players. At each round, the number of new holder players starting at that round is one less than the number of remaining vertex players. We match up the vertex players with  $h^r$ , and  $o$  with the remaining  $v$ . At the end of this phase, only  $o$  remains.

For the other direction, we need to prove that  $o$  can win the tournament with probability 1 only if there is a vertex cover  $C$  of size  $k$ . First note that during Phase 1, for  $o$  not to get eliminated, it has to play against a vertex player  $v$ . Thus after the first  $(n - k)$  rounds, there are at most  $k$  vertex players remaining (there can be less if two vertex players play against each other).

During Phase 2, the only ways that an edge player  $e$  can be eliminated is to play against  $v$  that covers it or play against another edge player  $e'$  which started at an earlier round. If  $e$  is eliminated by  $e'$ , there must be either one  $h^r$  or one  $v$  that was eliminated earlier by an edge player  $e''$  (which can possibly be  $e'$ ). Since there is only  $(k - 1)$  holder players at each round, if  $h^r$  was eliminated by  $e''$ , two vertex players must have played against each other and one of them must have been eliminated. Thus for both cases, there is at least one  $v$  that got eliminated. Note that in this phase, at any round, there are only  $(k + 1)$  new players. Therefore, at the end of this phase, there are exactly  $(k + 1)$  players remaining including  $o$ . If all edge players get eliminated by vertex players, there are  $k$  vertex players remaining. If there is at least one  $e$  which did not get eliminated or got eliminated by another  $e'$ , there are less than  $k$  vertex players remaining.

Now during Phase 3, for  $o$  to win the tournament,  $o$  can only play against a vertex player. Thus the number of vertex players is reduced each round by 1. Moreover, since there are  $(k - 1)$  holder players  $h^r$  starting at the first round of the phase, and one less for each round after that, if there are less than  $k$  vertex players at the beginning of Phase 3, there will be at least one non-vertex player remaining. If that is the case, at the last round of Phase 3, there must be at least one edge or holder player remaining and  $o$  will lose the tournament.

Therefore, for  $o$  to win the tournament, there must be  $k$  vertex players at the beginning of Phase 3. This implies all edge players must have been eliminated by vertex players during Phase 2. So

<sup>1</sup>We overload some notations here but the given the context, it should be clear

each edge player must be covered by at least one of the remaining vertex players after Phase 1. Since there are at most  $k$  of them after Phase 1, these remaining vertex players form a vertex cover of size at most  $k$ .  $\square$

After placing this constraint on the structure of the tournament tree, the tournament design problem has changed from easy to hard. This gives an indication that the design problem for balanced knockout tournament with deterministic match results is probably also hard.

## 5.2 Win-Lose-Tie Match Results

When the match results are deterministic, it is an open problem whether there exists an efficient algorithm to find the optimal balanced knockout tournament for a given player. Surprisingly, when we allow there to be a tie between two players (each has equal chance of winning), the problem becomes provably hard.

**Theorem 5.** *Given a set of players  $N$ , a winning probability matrix  $P$  such that  $P_{i,j} \in \{0, 1, 0.5\}$ , it is NP-complete to decide whether there exists a balanced knockout tournament  $KT$  such that  $q(k, KT) \geq \delta$  for a given  $\delta$  and  $k \in N$ .*

The proof of Theorem 5 is similar to the proof of Theorem 4 with two modifications to the reduction:

1. We need to construct some gadgets that simulate the round placements, i.e., if player  $i$  starts from round  $r$ , player  $i$  will not be eliminated until round  $r$ . In order to achieve this, we will introduce  $(2^r - 1)$  filler players that only player  $i$  can beat. This will keep player  $i$  busy until at least round  $r$
2. We need to make sure that the round placement for any player is at most  $O(\log(n))$  with  $n$  equal to the size of the Vertex Cover Problem so that the size of the tournament is still polynomial.

*Proof of Theorem 5.* Similar to the Proof of Theorem 4, we show here a reduction from the Vertex Cover problem.

### Reduction method:

We construct a tournament  $KT = (T, S)$  with a special player  $o$  such that  $o$  wins  $KT$  with probability 1 if and only if there exists a vertex cover of size at most  $k$ .

$KT$  contains the following players:

1. Objective player:  $o$
2. Vertex players:  $\{v_i \in V\}$  and an extra special vertex  $v_0$  which does not cover any edge. If we let  $n = |V|$  then there are  $n + 1$  vertex players.
3. Edge players:  $\{e_i \in E\}$ . There are  $m = |E|$  edge players.
4. Filler players: For each round  $r$  such that  $0 < r \leq \lceil \log(n - k) \rceil$ , there are  $k$  filler players  $f_{v,i}^r$ , i.e., there are  $k$  copies of  $f_v^r$ . These players are meant to keep at least  $k$  vertex players advancing to the next round. For each round  $r$  such that  $\lceil \log(n - k) \rceil < r \leq \lceil \log(n - k) \rceil + \lceil \log(m) \rceil$ , there are  $k$  filler players  $f_{e,i}^r$ . These are meant for the edge players. We might refer to both types of filler players as  $f_i^r$  or just simply  $f^r$ .
5. Holder players: For each edge player  $e_i$ , there are  $2^{\lceil \log(n - k) \rceil} - 1$  edge holder players  $h_{e_i}^l$ . These will make sure no edge player will be eliminated before reaching round  $\lceil \log(n - k) \rceil + 1$ . For each filler player  $f_i^r$ , there are  $2^r - 1$  holder players  $h_{f_i}^l$  that will make sure no filler player will be eliminated before reaching round  $r$ . There are also



$K = 2^{\lceil \log(n-k) \rceil + \lceil \log(m) \rceil + \lceil \log(k+1) \rceil + 1} - 1$  special holder players  $h_o^l$  that will allow player  $o$  to advance to the final match.

The winning probabilities between the players are assigned as in Table 5.2. In a nutshell:

1.  $o$  only wins against  $v_i$  and  $h_o$  with probability 1 (always wins) and loses against all others with probability 1 (always loses).
2.  $v_i$  always wins against  $f^r$  (both  $f_v^r$  and  $f_e^r$ ),  $e_j$  that it covers, and  $v_{i'}$  with  $i' > i$ . It always loses against all other players. The special vertex player  $v_0$  does not win against any edge player but wins against any other vertex player.
3.  $e_j$  always wins against  $h_{e_j}^l$ ,  $f^r$ , and wins with probability 0.5 against another  $e_{j'}$ .
4. For the holder players, each of them only loses to the player it is meant for. For example, edge holder player  $h_{e_j}^l$  only loses to the edge player  $e_j$ . Holder players tie when playing against each other or against an edge player (except for the edge holder players they are meant for). They always win against  $o$  and vertex players.

	$v_j$	$e_j$	$f_j^{r'}$	$h_{e_j}^{l'}$	$h_{f_j^{r'}}^{l'}$	$h_o^{l'}$
$o$	1	0	0	0	0	1
$v_i$	1 if $i < j$ , 0 otherwise	1 if $v_i$ covers $e_j$ , 0 otherwise	1	0	0	0
$e_i$	-	0.5	0.5	1 if $i = j$ , 0.5 otherwise	1	1
$f_i^r$	-	-	0.5	0.5	1 if $f_i^r = f_j^{r'}$ , 0.5 otherwise	1
$h_{e_i}^l$	-	-	-	0.5	0.5	1
$h_{f_i^r}^{l'}$	-	-	-	-	0.5	1
$h_o^l$	-	-	-	-	-	0.5

Table 2: The winning probabilities of row players against column players in  $KT$

The reduction is polynomial since the number of players in the tournament is  $O(K)$ . Without loss of generality, we assume that the number of total players is a power of 2 because we can always add more  $h_o$  players and this will not affect the reduction shown below. Note that we consider the first round as round 1.

First we need to show how to construct an agenda  $KT$  that let  $o$  win with probability 1 if there exists a vertex cover  $C$  of size at most  $k$ . The desired  $KT$  is composed of two phases:

*Phase 1:* Phase 1 is the first  $\lceil \log(n-k) \rceil$  rounds. In this phase, we eliminate all  $v \notin C$  except the special vertex player  $v_0$  while keeping  $o$  and all edge players. During this phase, for each player that has corresponding holder players, we will match them together. This will help each edge player  $e$  to get to round  $\lceil \log(n-k) \rceil + 1$ , and each filler player  $f^r$  to get to round  $r$ . We also match  $o$  with the holder player  $h_o$  to help  $o$  advancing to the final round. At round  $1 \leq r \leq \lceil \log(n-k) \rceil$ , if the vertex  $v_i$  is in  $C$ , we match the vertex player  $v_i$  with the filler player  $f^r$ . Otherwise we match it with another vertex player that is not in  $C$ . At the end of this phase, there are only  $k+1$  vertex players remaining. One of them is the special vertex player  $v_0$ .

*Phase 2:* Phase 2 is the following  $\lceil \log(m) \rceil + \lceil \log(k+1) \rceil + 1$  rounds. In this phase, we eliminate all the edge players by repeatedly matching each vertex player with the edge players that it covers. If there are more edge players than vertex players, we will match the remaining edge players who are covered by the same vertex player with each other. If there is any edge player that does not have a match, we will match it with the edge filler player  $f_e^r$ . Note that there are at most  $k$  edge players

that do not have a match. After each round, at least half of the edge players will be eliminated. Thus after at most  $\lceil \log(m) \rceil$  rounds, all the edge players will be eliminated. There will be only vertex players  $v$ ,  $o$  and  $h_o$  remaining. We just need to match them up until  $o$  is the only player left since  $o$  wins against  $v$  and  $h_o$  with probability 1.

For the other direction, we need to prove that  $o$  can win the tournament with probability 1 only if there is a vertex cover  $C$  of size  $k$ . We need to show that if  $o$  wins with probability 1, after Phase 1, there will be only  $k + 1$  vertex players remaining including the special vertex  $v_0$ , and during Phase 2, all edge players will be eliminated by one of those remaining vertex players, i.e., no edge players gets eliminated during phase 1.

First note that for  $o$  to win with probability 1, no holder players except  $h_o$  can get to the final. Thus during the first  $\lceil \log(n - k) \rceil$  rounds, no edge player can get eliminated since there are  $(2^{\lceil \log(n-k) \rceil} - 1)$  holder players for each edge player. Also no filler player  $f^r$  can get eliminated before round  $r$ . At round  $r$  such that  $r \leq \lceil \log(n - k) \rceil$ , the only way for a vertex player to advance to the next round is either playing against a filler player  $f^r$  or another vertex player. It cannot advance by playing against an edge player that it covers, since that would eliminate that edge player too early. It cannot advance by playing a filler player  $f^{r'}$  with  $r' > r$  either, since that would eliminate  $f^{r'}$  too early. Therefore, besides  $k$  vertex players playing against  $f^r$ , at least half of the remaining vertex players will be eliminated after each round. At the end of round  $\lceil \log(n - k) \rceil$ , there can be only at most  $k + 1$  vertex players remaining. Note that since vertex player  $v_0$  wins against any other vertex players, it must still remain.

For  $o$  to win the tournament with probability of 1,  $o$  must not play against any edge players either. Moreover, note that when two edge players play against each other, each of them has a 50% chance moving on to the next round. Thus the only way that an edge player gets eliminated is to play against a vertex player that covers it. So, each edge player must be covered by at least one of the remaining  $k$  vertex players (since  $v_0$  does not cover any edge). Thus the set of  $k$  remaining vertex players forms a vertex cover of size  $k$ .  $\square$

The problem of finding the optimal balanced knockout tournament with Win-Lose-Tie match results is reducible to our general balanced knockout tournament. This constitutes the proof for Theorem 3.

When there is no constraint on the structure of the tournament, there exists a polynomial time algorithm to find an agenda that will allow a target player to win with probability 1 or decide that such an agenda does not exist. This algorithm is a modification the algorithm introduced in [7] to compute possible winners. In this algorithm, when there is a tie between 2 players, we remove all the edges between them in the tournament graph. We will then proceed to finding all the winning paths from the target player to other players in the tournament. If there is a winning path to each of the other players, there exists an agenda to make the target player win, and that agenda is the binary tree formed by combining the winning paths.

### 5.3 Monotonic Winning Probabilities

Another natural constraint is to require a certain overall structure of the winning probability matrix  $P$ . One of the most common models in the literature is the monotonic model (see for example [5, 10, 6, 14]). In this model, the players are numbered from 1 to  $n$  in descending order of unknown intrinsic abilities. We only know the probability of one player winning against another. These winning probabilities are also correlated to the intrinsic abilities.

**Definition 5** (Knockout Tournament with Monotonic Winning Probabilities). *A knockout tournament  $KT = \{N, T, S, P\}$  has monotonic winning probabilities when  $P$  satisfies the following constraints:*

1.  $p_{ij} + p_{ji} = 1$

2.  $p_{ij} \geq p_{ji} \quad \forall (i, j) : i \leq j$
3.  $p_{ij} \geq p_{i(j+1)} \quad \forall (i, j)$

As in the case of deterministic match results, when we require the tournament to be balanced, the complexity of finding the optimal tournament is unknown. Unlike the case of balanced tournaments with win-lose-tie, the monotonicity condition is too restrictive. Yet, when we relax this condition to allow small violations, we can obtain a hardness result. We call the new condition  $\epsilon$ -monotonicity.

**Definition 6** ( $\epsilon$ -monotonicity). *A winning probability matrix  $P$  is  $\epsilon$ -monotonic with  $\epsilon > 0$  when  $P$  satisfies the following constraints:*

1.  $p_{ij} + p_{ji} = 1$
2.  $p_{ij} \geq p_{ji} \quad \forall (i, j) : i \leq j$
3.  $p_{ij} \geq p_{i(j')} - \epsilon \quad \forall (i, j, j') : j' > j$

As  $\epsilon$  goes to 0, the winning probability matrix  $P$  will get closer to being monotonic. Note that we only relax the second requirement of monotonicity. In this setting, the problem of finding the optimal balanced agenda is provably hard:

**Theorem 6.** *Given a set of players  $N$ , a  $\epsilon$ -monotonic winning probability matrix  $P$  with  $\epsilon > 0$ , it is NP-complete to decide if there exists a balanced knockout tournament  $KT$  such that  $q(k, KT) \geq \delta$  for a given  $\delta$  and  $k \in N$ .*

*Proof.* To prove this theorem, we show a reduction from the Vertex Cover Problem to the tournament design problem in this setting. The reduction is similar to the proof of Theorem 3 with the same set of players but with slightly different winning probabilities (shown in Table 5.3). Essentially, we convert the probabilities of a vertex player winning against edge players that it does not cover from 0 to  $(1 - \epsilon)$ . Similarly for  $o$ , it now either wins with probabilities 1 as before or with probabilities  $(1 - \epsilon)$ . The new winning probabilities are  $\epsilon$ -monotonic with this ordering of players in descending strengths:  $o, v_0 \dots v_n, e_1 \dots e_m, f^r, h_e, h_{f^r}, h_o$ . Note that for  $o$  to win the tournament with probability 1, she can only play against  $v$  and  $h_o$ . Thus all players of other types must be eliminated with probability 1. This allows the proof of Theorem 3 to hold in this setting.

	$v_j$	$e_j$	$f_j^{r'}$	$h_{e_j}^l$	$h_{f_j^{r'}}^l$	$h_o^l$
$o$	1	$1 - \epsilon$	$1 - \epsilon$	$1 - \epsilon$	$1 - \epsilon$	1
$v_i$	1 if $i < j$ , 0 ow.	1 if $v_i$ covers $e_j$ , $(1 - \epsilon)$ ow.	1	$1 - \epsilon$	$1 - \epsilon$	$1 - \epsilon$
$e_i$	-	0.5	1	1 if $i = j$ , $(1 - \epsilon)$ ow.	1	1
$f_i^r$	-	-	0.5	0.5	1 if $f_i^r = f_j^{r'}$ , 0.5 otherwise	1
$h_{e_i}^l$	-	-	-	0.5	0.5	1
$h_{f_i^r}^l$	-	-	-	-	0.5	1
$h_o^l$	-	-	-	-	-	0.5

Table 3: The  $\epsilon$ -monotonic winning probabilities of row players against column players in  $KT$

□

## 6 Conclusion and future work

In this paper we have investigated the computational aspect of agenda control for knockout tournaments. We have considered several modelings of the problem based on different constraints that can be placed on the structure of the tournament or the model of the players. In particular, we have shown that when the tournament has to be balanced, the agenda control problem is NP-hard, even when the match results can only be win, lose, or tie, or when the winning probabilities between the players have to be  $\epsilon$ -monotonic. This suggests that it is hard to design a knockout tournament with maximum predictive power. When the match results are deterministic, the complexity of the control problem remains an open problem for future work. Other directions include finding optimal agenda for other objective functions such as fairness or “interestingness” of the tournament, or considering other constraints on the tournament structure and player models.

## References

- [1] D. R. Appleton. May the best man win? *The Statistician*, 44(4):529–538, 1995.
- [2] J. Bartholdi, C. Tovey, and M. Trick. How hard is it to control an election? *Mathematical and Computer Modeling*, 16(8/9):27–40, 1992.
- [3] S. J. Brams and P. C. Fishburn. Voting procedures. In K. J. Arrow, A. K. Sen, and K. Suzumura, editors, *Handbook of Social Choice and Welfare*.
- [4] E. Hemaspaandra, L. A. Hemaspaandra, and J. Rothe. Anyone but him: The complexity of precluding an alternative. *Artif. Intell.*, 171(5-6):255–285, 2007.
- [5] J. Horen and R. Riezman. Comparing draws for single elimination tournaments. *Operations Research*, 33(2):249–262, mar 1985.
- [6] F. K. Hwang. New concepts in seeding knockout tournaments. *The American Mathematical Monthly*, 89(4):235–239, apr 1982.
- [7] J. Lang, M. S. Pini, F. Rossi, K. B. Venable, and T. Walsh. Winner determination in sequential majority voting. In *IJCAI*, pages 1372–1377, 2007.
- [8] J.-F. Laslier. *Tournament solutions and majority voting*. Springer, 1997.
- [9] G. C. Loury. Market structure and innovation. *The Quarterly Journal of Economics*, 93(3):395–410, August 1979.
- [10] J. W. Moon and N. J. Pullman. On generalized tournament matrices. *SIAM Review*, 12(3):384–399, jul 1970.
- [11] S. K. N. Hazon, P. E. Dunne and M. Wooldridge. How to rig an election. In *The 9th Bar-Ilan Symposium on the Foundations of Artificial Intelligence*, 2007.
- [12] S. Rosen. Prizes and incentives in elimination tournaments. *The American Economic Review*, 76(4):701–715, sep 1986.
- [13] D. Ryvkin. The predictive power of noisy elimination tournaments. Technical report, The Center for Economic Research and Graduate Education - Economic Institute, Prague, Mar. 2005.
- [14] A. J. Schwenk. What is the correct way to seed a knockout tournament? *The American Mathematical Monthly*, 107(2):140–150, feb 2000.
- [15] G. Tullock. *Toward a Theory of the Rent-seeking Society*. Texas A&M University Press, 1980.

Thuc Vu, Alon Altman, Yoav Shoham  
Department of Computer Science  
Stanford University  
Stanford, USA  
Email: {thucvu, epsalon, shoham}@stanford.edu