

Manipulating picking sequences

Sylvain Bouveret and Jérôme Lang

Abstract

Picking sequences are a natural way of allocating indivisible items to agents in a decentralized manner: at each stage, a designated agent chooses an item among those that remain available. We address the computational issues of the manipulation of picking sequences by an agent or a coalition of agents. We show that a single agent with additively separable preferences can compute an optimal manipulation in polynomial time. Then we consider several notions of coalitional manipulation, depending on whether transfers of items and/or side payments are allowed. We briefly consider agents with non-additive preferences. We also give a nontrivial upper bound on the impact of manipulation on the loss of social welfare.

1 Introduction

We study a very simple protocol for allocating indivisible goods to agents. The *picking sequence protocol* works as follows: we define a sequence of agents, and each agent is asked to take in turn one object among those that remain. For example, according to sequence $ABCCBA$, agent A will choose first, then agent B will pick one object, then C (two objects), and so on. This simple protocol is used in a lot of everyday life situations (allocating courses to students, initial resources in some board games...). Its simplest version, namely, the strict alternation protocol for two agents (*e.g.*, $ABABABAB$) has been studied first by Kohler and Chandrasekaran [9] in a game-theoretic setting, and then further by Brams and Taylor [4], who also pay attention to balanced alternation (*e.g.*, $ABBABAAB$) and Brams and King [3] for characterizing efficient allocations in a centralized setting. Budish and Cantillon [5] study a variant of the model (course allocation to students with a mechanism which is a randomized version of a picking sequence) and show that not only it is manipulable in theory, but that it also is manipulated by students in practice. Picking sequences were formally studied in a more general and systematic way by Bouveret and Lang [2], and further by Kalinowski *et al.* [8] who give a game-theoretic study of picking sequences, and Kalinowski *et al.* [7] who (among other results) prove that for a plausible set of criteria, strict alternation is the best picking sequence for two agents.

In this paper, we study this protocol from the point of view of single-agent and coalitional manipulation, and especially of their computational difficulty. The strategical issues of picking sequences have already been studied by Kohler and Chandrasekaran [9], who prove that the subgame perfect Nash equilibrium can be computed in by reversing the policy and preference orderings. Kalinowski *et al.* [8] extend this result to any two-agent picking sequence, and investigate the computational complexity of computing a subgame perfect Nash equilibrium for more than two agents. These papers give a game-theoretic study of picking sequences: more precisely, they focus on the characterization and the computation of subgame perfect Nash equilibria. In this paper, we use a different approach. We view manipulation in picking sequences exactly as manipulation in voting. Voting theory, and especially computational social choice, has devoted a lot of attention to the manipulation of voting rules by a single deviating agent, or by a coalition of deviating agents (see [6] for a recent survey); the assumption on both cases is that the votes of the non-manipulators are known. This approach to manipulation in picking sequences remains essentially unexplored.

The paper is organized as follows. We introduce some background in Section 2. Then we study manipulation by a single agent with additively separable preferences (Section 3),

and by a coalition of agents with additively separable preferences (Section 4). In Section 5 we briefly discuss the extension to manipulators non-additive preferences. In Section 6 we briefly study the price of manipulation in a two-agent setting, that is, the worst-case loss of social welfare caused by one agent acting strategically. We conclude in Section 7.

2 Background and notations

$\mathcal{N} = \{A, B, \dots\}$ is a finite set of n agents and $\mathcal{O} = \{1, \dots, m\}$ a finite set of m objects. Each agent i is equipped with a (private) preference relation \succeq_i , which is a weak order (transitive and complete relation) on $2^{\mathcal{O}}$. The restriction of \succeq_i to \mathcal{O} is denoted by $\underline{\succeq}_i$. We will write \succ (resp. \triangleright) to denote the strict part of \succeq (resp. $\underline{\succeq}$). \succeq_i is (*weakly separable*) if for all $S, S' \subseteq \mathcal{O}$ and $o, o' \in \mathcal{O} \setminus (S \cup S')$, we have $S \cup \{o\} \succeq_i S \cup \{o'\}$ if and only if $S' \cup \{o\} \succeq_i S' \cup \{o'\}$. \succeq_i is (*additively separable*) (for short, *additive*) if there is a function $u : \mathcal{O} \rightarrow \mathbb{R}^+$ such that for all $S, S' \subseteq \mathcal{O}$, we have $S \succeq_i S'$ if and only if $\sum_{o \in S} u(o) \geq \sum_{o \in S'} u(o)$.

A *policy* π is a sequence of m agents. For any agent i , we write $ps(\pi, i)_1, \dots, ps(\pi, i)_{r(i)}$ to denote the $r(i)$ successive *picking stages* of agent i . For all k , we will also denote by $PS(\pi, i)_k$ the number of picking stages of agent i until stage k . A (*deterministic*) *picking strategy* for agent i is a function $\sigma_i : 2^{\mathcal{O}} \rightarrow \mathcal{O}$, specifying which object $\sigma_i(O)$ agent i should take when the set of remaining objects is O (see Section 3 for more discussion about simple picking strategies).

Given a set of agents C , a *joint strategy* for C is a function σ_C mapping each agent $i \in C$ to a given strategy σ_i . Given a joint strategy σ concerning all the agents, we will denote by σ_{-i} the joint strategy of all the agents but i , and similarly σ_{-C} the joint strategy of all the agents but the ones in C . Given two strategies σ and τ concerning different agents, $\sigma \cdot \tau$ will denote the joint strategy built out from σ and τ . Finally, given a joint strategy σ concerning all the agents and a policy π , we will denote by $\mathcal{O}_i(\pi, \sigma)$ the set of objects obtained by agent i in picking sequence π if every agent j follows strategy σ_j .

We make use of the following notation for allocations resulting from a picking sequence: $[O_1 | \dots | O_n]$ is the allocation where agent i has set of objects O_i . Moreover, we often omit curly brackets for sets. For instance, if $n = 3$ and $m = 7$, $[1\ 2\ 3\ 4 | 5 | 6\ 7]$ is the allocation giving $\{1, 2, 3, 4\}$ to the first agent, $\{5\}$ to the second one and $\{6, 7\}$ to the third one. Finally, when specifying a linear order \triangleright over single items, we will sometimes omit the symbol \triangleright , that is, we write $\triangleright : 1\ 2\ 3\ 4$ to denote $1 \triangleright 2 \triangleright 3 \triangleright 4$.

3 Manipulation by a single agent with additive preferences

In this Section (and in Section 4) we assume that manipulators have additive preferences, represented by a utility function over single items $u : \mathcal{O} \rightarrow \mathbb{R}^+$.

Clearly, the only strategyproof picking sequences are those where each agent acts in a single “picking row”, without alternation, that is, if the sequence has the form $\sigma = a_{i_1}^{m_1} a_{i_2}^{m_2} \dots a_{i_k}^{m_k}$ where a_{i_1}, \dots, a_{i_k} are all different agents, and $m_1 + \dots + m_k = m$.¹

Bouveret and Lang ([2], Proposition 7) show that finding a manipulation for an n -agent picking sequence can be polynomially reduced to finding a manipulation for a 2-agent picking sequence. Therefore, without loss of generality, we consider in this Section that we have only two agents $\{A, B\}$, where A will be the manipulating agent.

¹Such non-alternating sequences are in fact a kind of *sequential dictatorships*. In settings where agents get only one object, sequential dictatorships are the only strategyproof resource allocation mechanisms satisfying a set of mild properties [10].

A standard approach to manipulation in voting is to consider that the manipulating agent has a complete knowledge about the other agents' votes. We make a similar assumption here: *A has a complete knowledge of B's picking strategy.* We now a stronger assumption about *B's strategy*: we assume that *B picks, at each stage, the best object among the remaining ones, according to a (real or virtual) linear order \triangleright'_B , that A knows.* Such picking strategies are said to be *deterministic* and *simple*.

Assuming that *B's strategy* is deterministic, simple, and known to *A*, implies a loss of generality that we discuss now.

First, even if *B* is sincere, assuming that he follows a deterministic strategy is not obvious, and it could make sense to assume he acts according to a mixed strategy: (i) \succeq_B can be non-separable, and (ii) even if it \succeq_B is separable, *B* can be indifferent between two (or more) given objects, and in this case, it is not clear (even to him) which of the two it will pick first. (A similar phenomenon occurs in voting: nonmanipulators may be indifferent between some candidates, yet the manipulator is assumed to know how they will rank them.)

Second, if *B* has nonseparable preferences, he may pick items in a perfectly rational way according to a complex choice function not rationalizable by a weak order over objects: for instance, if *B* is interested in getting 1 and 2 together, but not interested in getting only one of them, then he could pick 1 if he has two more picking stages and the remaining objects are $\{1, 2, 3, 4\}$ but 3 if the remaining objects are $\{1, 3, 4\}$. Thus, in general, a deterministic picking strategy for *B* would be an arbitrary function from $2^{\mathcal{O}}$ to \mathcal{O} .²

While it would make sense to study manipulation with such mixed and/or complex strategies of *B*, we leave them for further research and assume here that

(Hyp) *A* knows *B's* picking strategy σ_B , and this strategy is a deterministic, simple picking strategy.

where a deterministic, simple strategy σ_B is represented by a ranking \triangleright'_B over \mathcal{O} , such that *B* always picks the preferred object, with respect to \triangleright'_B , among those that remain available. From now on we will simply say “picking strategy” for “deterministic, simple picking strategy”. It must be noted that σ_B is not necessarily sincere, and it does not need to be: \triangleright'_B can be but is not necessarily related to agent *B's* true preference relation \succeq_B . However, to avoid overloading notation, and since we will not deal at all with agent *B's* true preferences, \triangleright'_B will simply be denoted by \triangleright_B . In the following, we will denote by σ^\triangleright the sincere picking strategy defined (unambiguously) from \triangleright .

Because *A* has a complete knowledge of *B's* strategy, it is enough for her to choose a simple deterministic strategy as well, which amounts to choosing among the possible sets of objects that she can achieve to get.

Now we discuss various assumptions about *A's* preferences. In the simplest case, we assume that *A's* preferences are additive *with no ties on single objects*. This means that *A's* preferences can be represented succinctly by a utility function over single goods $u_A : G \rightarrow \mathbb{R}^+$. However, we shall see in Subsection 3.1 that *A's* optimal strategy does not depend on the values of *u* but only on the corresponding ranking \triangleright_A on objects – just as what we need to know for the sincere strategy. In Subsection 3.2 we assume that *A's* preferences are additive with possible ties on single objects; again, we will show that in this case *A's* optimal strategy depends only on her weak order \succeq_A on single objects. The case of manipulators with possibly non-separable preferences will be relegated to Section 5.

²Even modelling a deterministic strategy for *B* as a function from $2^{\mathcal{O}}$ to \mathcal{O} could be a loss of generality: in some contexts, *B's* strategy could also depend in the *order* in which *A* has picked her objects.

3.1 The manipulator has additive preferences without indifferences between single objects

Here, a two-agent picking sequence manipulation problem for manipulator A is a quadruple $\langle \mathcal{O}, u_A, \triangleright_B, \pi \rangle$ where:

- \mathcal{O} is a set of m objects;
- $u_A : \mathcal{O} \rightarrow \mathbb{R}^+$ is A 's utility function over single objects, verifying $u(o) \neq u(o')$ if $o \neq o'$.
- \triangleright_B is a ranking over \mathcal{O} (succinct representation of B 's simple deterministic picking strategy);
- $\pi \in \{A, B\}^m$ is a picking sequence.

Let \triangleright_A be the ranking over \mathcal{O} induced by u_A , that is, $o \triangleright_A o'$ if and only if $u_A(o) > u_A(o')$. If \triangleright_A is induced by u_A we also say that u_A is *compatible* with \triangleright_A .

Let $P = \langle \triangleright_A, \triangleright_B \rangle$. Without loss of generality we assume that $1 \triangleright_A 2 \triangleright_A \dots \triangleright_A m$. σ^P will be the joint sincere strategy $\sigma^{\triangleright_A} \cdot \sigma^{\triangleright_B}$ and $\pi(\sigma^P, \pi)$ will denote the allocation resulting from the sincere picking of agents A and B according to P and π , that is, $\langle \mathcal{O}_A(\sigma^P, \pi), \mathcal{O}_B(\sigma^P, \pi) \rangle$.

We now formally define manipulation. We say that $O \subseteq \mathcal{O}$ is *achievable* for A if there is a strategy σ such that $O \subseteq \mathcal{O}_A(\sigma \cdot \sigma^{\triangleright_B}, \pi)$. In other words, A can obtain all the objects from O by playing according to σ , if B plays sincerely. A manipulation strategy σ is *successful* if $\mathcal{O}_A(\sigma \cdot \sigma^{\triangleright_B}, \pi) \succ_A \mathcal{O}_A(\sigma^P, \pi)$ (in other words, A obtains a better set by playing according to σ than if it had played sincerely).

We already know from Proposition 7 in [2] that it can be checked in polynomial time whether a given set O is achievable. An important problem is to determine whether there is a successful strategy. It turns out that not only can we solve this problem in polynomial time, but we are also able to find the strategy giving the best achievable subset in polynomial time as well, using Algorithm 1. Recall that $r(A)$ is the number of picking stages of A , and that \triangleright_A is $1 \triangleright \dots \triangleright m$.

Algorithm 1: Best achievable subset.

input : A policy π , a ranking \triangleright_B .

output: The best achievable subset for agent A .

```

1  $O \leftarrow \emptyset$ ;
2  $j \leftarrow 1$ ;
3 for  $k \leftarrow 1$  to  $r(A)$  do
4   | find the smallest  $i \geq j$  such that  $O \cup \{i\}$  is achievable;
5   |  $O := O \cup \{i\}$ ;
6   |  $j := i$ ;
7 return  $O$ ;
```

Because it can be checked in polynomial time whether a given set is achievable, Algorithm 1 works in polynomial time. Before proving that it indeed returns an optimal strategy, we give some examples.

Example 1 $m = 12$; $\pi = ABABABABABABAB$;

\triangleright_A :	1	2	3	4	5	6	7	8	9	10	11	12
\triangleright_B :	3	2	6	5	4	10	8	11	1	9	7	12

The sincere picking strategy for A (and B) leads to A getting 124789. Now, let us apply Algorithm 1.

- 1 is achievable; $S = 1$;
- 12 is achievable; $S = 12$;
- 123 is not achievable; $S = 12$;
- 124 is achievable; $S = 124$;
- 1245 is achievable; $S = 1245$;
- 12456 is not achievable; $S = 1245$;
- 124567 is achievable; $S = 12457$;
- 1245678 is achievable; $S = 124578$; stop and return S .

We will soon prove that this is indeed the best achievable set of objects for A , irrespective of the choice of the utility function satisfying the requirement of this Subsection (namely, that A has an additive utility function with all weights on single objects being different).

For any s , we denote B 's s^{th} preferred object by $\mu(s)$: μ is the permutation of $\{1, \dots, m\}$ such that $\mu(1) \triangleright_B \dots \triangleright_B \mu(m)$. Moreover, let $B(s) = \{\mu(1), \dots, \mu(s)\}$ be the set of B 's s most preferred items. Finally, for any $X \subseteq \mathcal{O}$, let $Cl(s, X) = B(s) \cap X$. We know from Proposition 8 in [2] that there exists a successful picking strategy σ for $X \subseteq \mathcal{O}$ if and only if for every picking stage s , $PS(\pi, A)_s \geq |Cl(s, X)|$. Also, we know (again Proposition 7 in [2]) that if O is achievable, then the *standard picking strategy*, in which A picks items in O according to their increasing ranking in \triangleright_B , is successful. Such a strategy will be denoted by $\sigma_{st(O)}$.

Example 2 (Example 1, continued)

- $\mu(1) = 3; \mu(2) = 2$; etc.
- $B(1) = \{3\}; B(2) = \{3, 2\}$; etc.
- Let us check that 1245 is achievable:
 - $Cl(1, 1245) = \emptyset; PS(\pi, A)_1 = 1$;
 - $Cl(2, 1245) = \{2\}; PS(\pi, A)_2 = 1$;
 - $Cl(3, 1245) = \{2\}; PS(\pi, A)_3 = 2$;
 - $Cl(4, 1245) = \{2, 5\}; PS(\pi, A)_4 = 2$;
 - $Cl(5, 1245) = \{2, 5, 4\}; PS(\pi, A)_5 = 3$;
 - $Cl(6, 1245) = \{2, 5, 4\}; PS(\pi, A)_6 = 3$;
 - $Cl(7, 1245) = \{2, 5, 4\}; PS(\pi, A)_7 = 4$;
 - $Cl(8, 1245) = \{2, 5, 4\}; PS(\pi, A)_8 = 4$;
 - $Cl(9, 1245) = \{1, 2, 5, 4\}; PS(\pi, A)_9 = 5$; etc.
- Let us check that 123 is not achievable: $Cl(2, 123) = \{2, 3\}$, but $PS(\pi, A)_2 = 1$.
- The standard picking strategy for 1245 is $\sigma(1) = 2; \sigma(2) = 5; \sigma(3) = 4; \sigma(4) = 1$, which we abbreviate in $\langle 2, 5, 4, 1 \rangle$. For 124578 it is $\langle 2, 5, 4, 8, 1, 7 \rangle$.

Lemma 1 Assume that O and $O' \neq O$ are achievable. Let $i = \min((O' \setminus O) \cup (O \setminus O'))$ and assume that $i \in O'$. Let j be B 's most preferred item in $O \setminus O'$. Then $O[i \leftrightarrow j] = (O \cup \{i\}) \setminus \{j\}$ is achievable.

Proof: In the following proof, we will refer to Proposition 7 in [2] as (P). We consider two cases, according to B 's preference between i and j :

Case 1: $j \triangleright_B i$. Because $j \triangleright_B i$, we have that, for every picking stage s , $Cl(s, O[i \leftrightarrow j]) \subseteq Cl(s, O)$. Therefore, by (P), $O[i \leftrightarrow j]$ is achievable.³

³Even if we don't need it for the proof, the picking strategy obtained from the standard picking strategy $\sigma_{st(O)}$ by replacing j by i is successful – note that it does not necessarily correspond to the standard picking strategy for $O[i \leftrightarrow j]$.

Case 2: $i \triangleright_B j$. Assume $O[i \leftrightarrow j]$ is not achievable. Then, by (P), there is a picking stage s such that

$$PS(\pi, A)_s < |Cl(s, O[i \leftrightarrow j])|. \quad (1)$$

Let s^* be such that $\mu(s^*) = j$. We consider two cases.

Case 2.a: $s \leq s^*$. Since j is B 's most preferred item in $O \setminus O'$, it holds that every item $l \in O$ such that $l \triangleright_B j$ also belongs to O' . Obviously, that also holds for every item $l \in O[i \leftrightarrow j]$ such that $l \triangleright_B j$. Hence $B(t) \cap O[i \leftrightarrow j] \subseteq B(t) \cap O'$ for all $t < s^*$. This equation can also be extended to $t = s^*$ by using the fact that $\mu(s^*) = j$ and that j neither belongs to O' nor to $O[i \leftrightarrow j]$. This in turn can be rewritten as $Cl(t, O[i \leftrightarrow j]) \subseteq Cl(t, O')$ for all $t \leq s^*$. Using this equation for $t = s$ together with Equation (1) leads to $PS(\pi, A)_s < |Cl(s, O')|$, which proves, using (P), that O' is not achievable. Contradiction.

Case 2.b: $s > s^*$. Since $\mu(s^*) = j$, j belongs to $B(s^*)$ and hence to $B(s)$. Since $i \triangleright_B j$, i also belongs to $B(s^*)$ and hence to $B(s)$. Therefore, $B(s) \cap O = B(s) \cap O[i \leftrightarrow j]$, which, once again, can be rewritten as $Cl(s, O) = Cl(s, O[i \leftrightarrow j])$. Hence, by Equation (1), it holds that $PS(\pi, A)_s < |Cl(s, O)|$, which proves, using (P), that O is not achievable. Contradiction. ■

Example 3 (Example 1, continued) $O = 124789$; $O' = 1245$; $i = 5$; $O \setminus O' = 789$; $j = 8$. $O[5 \leftrightarrow 8] = 124579$. Lemma 1 says that 124579 is achievable. We are in the case $i \triangleright_B j$.

Proposition 1 Algorithm 1 returns the best achievable subset for A .

Proof: Assume not. Let O' be an optimal achievable subset, and O the subset returned by the algorithm. Let $i = \min((O' \setminus O) \cup (O \setminus O'))$. By construction of O , we must have $i \in O$. Now, by Lemma 1, there exists $j \in O'$, $j > i$, such that $(O' \cup \{i\}) \setminus \{j\}$ is achievable. Now, $i \triangleright_A j$, i.e., $u_A(i) > u_A(j)$, therefore, $u_A(O' \cup \{i\}) \setminus \{j\} > u_A(O')$, which contradicts the optimality of O' . ■

Corollary 1 An optimal manipulation for $(\mathcal{O}, u_A, \triangleright_B, \pi)$, where u_A verifies $u_A(o) \neq u_A(o')$ if $o \neq o'$, can be computed in polynomial time.

Another consequence of Proposition 1 is the uniqueness of the best achievable subset for A . Thus, even if there may be several optimal manipulations, they are equivalent in the sense that the outcome for A is the same for all.

Importantly, note that the proof of Proposition 1 does not depend on the values of u_A (provided, as assumed at the beginning of the Subsection, that $o \neq o'$ implies $u_A(o) \neq u_A(o')$) but only on the order \triangleright_A . We state this as a formal result:

Proposition 2 The optimal manipulations for A are the same for any utility function u_A compatible with \triangleright_A .

3.2 The manipulator has additive preferences with possible indifference between single objects

Now, a two-agent picking sequence manipulation problem for manipulator A is a quadruple $\langle \mathcal{O}, u_A, \triangleright_B, \pi \rangle$ where:

- \mathcal{O} is a set of m objects;
- $u_A : \mathcal{O} \rightarrow \mathbb{R}^+$ is A 's utility function over single objects.

- \triangleright_B is a ranking over \mathcal{O} ;
- $\pi \in \{A, B\}^m$ is a picking sequence.

Now, the preference relation over single objects induced from u_A is a weak order \succeq_A over \mathcal{O} , defined by $o \succeq_A o'$ if and only if $u_A(o) \geq u_A(o')$. Let \sim_A (respectively, \triangleright_A) be the indifference (resp. strict preference) relation associated with \succeq_A , defined by $o \sim_A o'$ if and only if $o \succeq_A o'$ and $o' \succeq_A o$ (respectively, $o \succeq_A o'$ and not $(o' \succeq_A o)$).

Now let \triangleright'_A be the linear order on \mathcal{O} refining \succeq_A and defined by: $o \triangleright'_A o'$ iff $o \triangleright_A o'$ or $(o \sim_A o' \text{ and } o \triangleright_B o')$. For example, if $1 \triangleright_A 2 \sim_A 3 \sim_A 4 \triangleright_A 5$ and $3 \triangleright_B 4 \triangleright_B 1 \triangleright_B \triangleright_B 5 \triangleright_B 2$, then $1 \triangleright'_A 3 \triangleright'_A 4 \triangleright'_A 2 \triangleright'_A 5$. Let u'_A be a utility function on \mathcal{O} compatible with \triangleright'_A . We claim that an optimal achievable set of objects for A can be computed as follows.

Proposition 3 *The (unique) optimal achievable subset for $(\mathcal{O}, u'_A, \triangleright_B, \pi)$ is a (non necessarily unique) optimal achievable subset for $(\mathcal{O}, u_A, \triangleright_B, \pi)$.*

Proof: Let Y be the optimal achievable set of objects for the manipulation problem for $(\mathcal{O}, u'_A, \triangleright_B, \pi)$. Assume that Y is not optimal for $(\mathcal{O}, u_A, \triangleright_B, \pi)$: then there is an achievable set Z such that $u_A(Z) > u_A(Y)$. Let δ be such that $0 < \delta \leq |u_A(\mathcal{O}) - u_A(\mathcal{O}')|$ for all subsets $\mathcal{O}, \mathcal{O}' \subseteq \mathcal{O}$ such that $u(\mathcal{O}) \neq u(\mathcal{O}')$, and let $\varepsilon < \frac{\delta}{m}$. Now, let u''_A be the following utility function: $\forall i \in \mathcal{O}$, $u''_A(i) = u_A(i) + \varepsilon q(i)$, where $q(i) = |\{j \mid i \sim_A j \text{ and } i \triangleright_B j\}|$. The following facts hold: (i) u''_A is compatible with \triangleright'_A , and (ii) $u''_A(Z) > u''_A(Y)$. To prove (i), let i and j be two objects. We consider two cases. (a) $i \sim_A j$: then $u''_A(i) > u''_A(j)$ iff $q(i) > q(j)$ iff $i \triangleright_B j$ iff $i \triangleright'_A j$. (b) $i \not\sim_A j$ (assume wlog $i \triangleright_A j$): then $u''_A(i) - u''_A(j) = u_A(i) - u_A(j) + (q(i) - q(j))\varepsilon > u_A(i) - u_A(j) - m\varepsilon \geq u_A(i) - u_A(j) - \delta > 0$. Now we prove (ii): $u''_A(Z) - u''_A(Y) \geq u_A(Z) - u_A(Y) - m\varepsilon > u_A(Z) - u_A(Y) - \delta > 0$. (i) and (ii) together prove that Y cannot be the optimal achievable set of objects for $(\mathcal{O}, u''_A, \triangleright_B, \pi)$, and also for $(\mathcal{O}, u'_A, \triangleright_B, \pi)$, since u'_A and u''_A are both compatible with \succeq_A : contradiction. ■

From Corollary 1 and Proposition 3 we get:

Corollary 2 *An optimal manipulation for $(\mathcal{O}, u_A, \triangleright_B, \pi)$ can be computed in polynomial time.*

Also, We also have a result analogous to Proposition 2: the optimal achievable subset, and the picking strategy, is optimal irrespective of the choice of the utility function u_A extending \succeq_A .

4 Coalitional manipulation with additive preferences

Voting theory not only focuses on single-agent manipulation but also on *joint (or coalitional) manipulation*, where a group of voters collude to get a better outcome for themselves. The assumption is that they can fully communicate and that they have full knowledge of the others' votes.

However, there is a significant difference with voting: the outcome of a vote is the same for all agents, whereas in fair division agents get different shares and are thus allowed to make trades after the allocation has been made. We thus consider three different notions of manipulation. The first two do not need any particular assumption about voters' preferences. The first one says that a manipulation is a combination of picking strategies whose outcome Pareto-dominates (for the manipulating coalition) the outcome of the sincere picking strategy; it does not allow any posterior trading nor compensation. The second one is also based on Pareto-dominance but allows agents to trade items after the allocation has been done. The third one assumes that the manipulators' preferences are represented by

transferable utilities, and allows both trading *and* monetary transfers after the allocation has been done. Before giving the formal definition we give a few examples. *In all cases, we have three agents A, B, C , and the manipulation coalition consists of A and B .*

Example 4 $\pi = ABCABC$. *No post-allocation trade is allowed.*

$$\triangleright_A: 125436; \quad \triangleright_B: 135246; \quad \triangleright_C: 234156$$

Sincere picking leads to $[15|34|26]$. A and B manipulating alone cannot do better: their best responses to the other two players' sincere strategies is their sincere strategy. However, if they cooperate, they both can do better: A starts by picking 2, then B picks 3, C picks 4, A picks 1, B picks 5 and finally C picks 6. The final allocation is $[12|35|46]$, which (strongly) Pareto-dominates $[15|34|26]$. Note that it is crucial that A and B communicate beforehand and trust each other, for after A has picked 2, B can betray A and pick 1 instead of 5, resulting in the allocation $[25|14|36]$: it may be better for B than the joint strategy agreed upon if he values $\{1, 4\}$ more than $\{3, 5\}$, but it is worse than the sincere allocation for A .

Example 5 $\pi = ABCABCABC$. *Post-allocation exchange of goods is allowed. Monetary transfers are not allowed.*

$$\triangleright_A: 123456789; \quad \triangleright_B: 893456712; \quad \triangleright_C: 123897456$$

Sincere picking leads to $[134|589|267]$. A and B manipulating alone cannot do better. They also cannot do better if they are not allowed to exchange goods (we will see later how to check this). However, if they cooperate and are allowed to exchange goods, then A can start by picking 1, then B picks 2, C picks 3, A picks 8, B picks 9, C picks 7, A picks 4, B picks 5 and C picks 6, leading to $[148|259|367]$. Then A and B exchange 2 and 8, leading to $[124|589|367]$, which Pareto-dominates $[134|589|367]$ for $\{A, B\}$.

Example 6 $\pi = ABCABCABC$. *Post-allocation exchange of goods is allowed. Monetary transfers are not allowed.*

$$\triangleright_A: 123456789; \quad \triangleright_B: 345916782; \quad \triangleright_C: 123897459$$

Assume that B prefers to have 459 than 358 (if preferences are additive, this means that $u_B(4) + u_B(9) > u_B(3) + u_B(8)$). Sincere picking leads to $[147|358|269]$. If A and B cooperate they can get $[147|259|368]$, then swap 2 and 4, leading to $[127|459|368]$: both agents are better off. This, of course, depends on some extra information, that is, the manipulators' preferences over the full power set.

Example 7 $\pi = ABCABCABC$. *Post-allocation exchange of goods is allowed. Monetary transfers are allowed.*

$$\triangleright_A: 123456789; \quad \triangleright_B: 987654321; \quad \triangleright_C: 123897459$$

Assume that A and B have additive preferences, that correspond to the amount of money they are willing to pay to get the items, and that

- $u_A(1) = 14; u_A(2) = 13; u_A(3) = 12; u_A(4) = 11; u_A(5) = 10; u_A(6), u_A(7) \dots \leq 5;$
- $u_B(9) = 10; u_B(8) = 9; u_B(7) = 8; u_B(6) = 7; u_B(5) = 6;$ *the rest does not matter.*

Sincere picking leads to $[125|789|346]$. If A and B cooperate they can get $[147|259|368]$, then B gives 2 and 5 to A , A gives 7 to B together with some amount of money. Both are strictly better off. This needs transferable utilities.

The difficulty with the definition of successful joint manipulation is to define what makes a coalition better off. It naturally leads to different definitions.

Definition 1 Let \mathcal{N} be a set of agents, π be a sequence, and $C \subset \mathcal{N}$ be a coalition of agents. Moreover, let σ_C and σ'_C be two joint strategies for C . We will say that :

- σ_C Pareto-dominates σ'_C (written $\sigma_C > \sigma'_C$) if:
 - $\forall i \in C, \mathcal{O}_i(\pi, \sigma_C \cdot \sigma_{-C}^*) \succeq_i \mathcal{O}_i(\pi, \sigma'_C \cdot \sigma_{-C}^*);$
 - $\exists i \in C, \mathcal{O}_i(\pi, \sigma_C \cdot \sigma_{-C}^*) \succ_i \mathcal{O}_i(\pi, \sigma'_C \cdot \sigma_{-C}^*).$
- σ_C Pareto-dominates with transfers σ'_C (written $\sigma_C >_T \sigma'_C$) if there is a function $F : \bigcup_{i \in C} \mathcal{O}_i(\pi, \sigma_C \cdot \sigma_{-C}^*) \rightarrow C$ such that:
 - $\forall i \in C, \{k \in \mathcal{O} \mid F(k) = i\} \succeq_i \mathcal{O}_i(\pi, \sigma'_C \cdot \sigma_{-C}^*);$
 - $\exists i \in C, \{k \in \mathcal{O} \mid F(k) = i\} \succ_i \mathcal{O}_i(\pi, \sigma'_C \cdot \sigma_{-C}^*).$

Finally, if we assume that each agent i (at least those from C) is equipped with a valuation function $v_i : 2^{\mathcal{O}} \rightarrow \mathbb{R}$, compatible with \triangleright_i , we will say that:

- σ_C Pareto-dominates with transfers and side-payments σ'_C (written $\sigma_C >_{TP} \sigma'_C$) if there is a function $F : \bigcup_{i \in C} \mathcal{O}_i(\pi, \sigma_C \cdot \sigma_{-C}^*) \rightarrow C$, and a function $p : C \rightarrow \mathbb{R}$ s.t.:
 - $\sum_{i \in C} p_i = 0;$
 - $\forall i \in C, v_i(\{k \in \mathcal{O} \mid F(k) = i\}) + p(i) \geq v_i(\mathcal{O}_i(\pi, \sigma'_C \cdot \sigma_{-C}^*));$
 - $\exists i \in C, v_i(\{k \in \mathcal{O} \mid F(k) = i\}) + p(i) > v_i(\mathcal{O}_i(\pi, \sigma'_C \cdot \sigma_{-C}^*)).$

These definitions lead to the definition of three kinds of successful strategies, namely: (i) σ_C is a *successful strategy* if $\sigma_C > \sigma_C^*$; (ii) σ_C is a *successful strategy with transfers* if $\sigma_C >_T \sigma_C^*$; (iii) σ_C is a *successful strategy with transfers and side-payments* if $\sigma_C >_{TP} \sigma_C^*$.

In the following, we will focus on the following problem:

CM-SIMPLE	
Given:	A set of agents \mathcal{N} , a sequence π , a coalition $C \subset \mathcal{N}$ with their preference relations \succeq_i and a joint strategy σ_C
Question:	Is there a strategy σ'_C such that $\sigma'_C > \sigma_C$?

We will also investigate the variant with transfers ($\sigma'_C >_T \sigma_C$) and transfer with side-payments ($\sigma'_C >_{TP} \sigma_C$ – in this case, we need to add the coalition members' valuation functions v_i to the problem input), which we will respectively call CM-TRANSFERS and CM-TRANSFERSWITHPAYMENTS.

Note that if we want to know whether a successful strategy exists for a given setting, we just need to solve the latter problem with σ_C being the sincere strategy σ_C^* .

In this Section we continue assuming that the manipulators have additive preferences, represented by utility functions over single objects.

Proposition 4 *An optimal manipulation for a coalition of agents with additive preferences, with side payments and exchange of objects, can be found in polynomial time.*

Proof: The possibility of side payments and exchanges imply that (a) in the optimal final allocation (after the exchanges), each object will be assigned to the agent who gives it the highest utility (or one of the agents who gives it the highest utility, in case there are several), and (b) the optimal joint picking strategy is the one that maximizes the utilitarian

social welfare of the group of manipulators $\sum_{i \in M} u_i(S_i)$. (a) and (b) together imply that the optimal set S of objects for the group maximizes $\sum_{o \in S} \max_{i \in M} u_i(o)$. This is equivalent to solving a manipulation problem for a single manipulator with a weak order over objects $o \succeq o'$ iff $\max_{i \in M} u_i(o) \geq \max_{i \in M} u_i(o')$. Proposition 3 then guarantees that such an optimal manipulation can be found in polynomial time. ■

We now consider coalitional manipulation *without object trading nor monetary transfers*. Interestingly, finding a successful manipulation is NP-hard, but this hardness has in fact little to do with picking sequences: it comes from the fact that finding a Pareto-improving exchange of items between two agents with additive preferences is already hard⁴.

Proposition 5 *Deciding if there exists a successful manipulation without object trading nor monetary transfer is NP-complete, even for two manipulators with additive preferences and no non-manipulator.*

Proof sketch: We will only sketch the proof by giving the reduction used. Let us consider the following instance of the PARTITION problem: $S = \{s_1, \dots, s_p\}$ with $\sum_i s_i = 2K$, and w.l.o.g. $s_1 \geq \dots \geq s_p$. With this instance we associate the following instance of manipulation without object trading and without monetary transfer:

- $2p + 1$ objects $\{g^+, g_1, \dots, g_p, g_1^-, \dots, g_p^-\}$.
- A 's utility function: $u_A(g^+) = K - \varepsilon$; $u_A(g_i) = s_i$ for all i ; $u_A(g_i^-) = 0$ for all i .
- B 's utility function: $u_A(g^+) = K + \varepsilon$; $u_A(g_i) = s_i$ for all i ; $u_A(g_i^-) = 0$ for all i .
- $\pi = AB^pA^p$. ■

Finally, coalitional manipulation *with object trading and without monetary transfers*.

Proposition 6 *Deciding if there exists a successful manipulation with object trading and without monetary transfer is NP-complete, even for two manipulators with additive preferences.*

Proof sketch: Once again, we only give the reduction used to prove NP-hardness. Let us consider the following instance of the PARTITION problem: $S = \{s_1, \dots, s_p\}$ with $\sum_i s_i = 2K$, and wlog $s_1 \geq \dots \geq s_p$. We also assume that for each $s_i \in S$ we have $s_1 \leq K - 1$; PARTITION obviously remains NP-hard under this restriction (if $s_1 = K$ then it is a trivially positive instance, and if $s_1 > K$ then it is a trivially negative instance). With this instance we associate the following instance of manipulation with object trading and without monetary transfer:

- $p + 2$ objects $\{x, y, g_1, \dots, g_p\}$.
- A 's utility function: $u_A(x) = K - \varepsilon$; $u_A(g_i) = s_i$ for all i ; $u_A(y) = 0$.
- B 's utility function: $u_A(y) = K + \varepsilon$; $u_A(g_i) = s_i$ for all i ; $u_A(x) = 0$.
- C 's preferences: $y \succ x \succ s_1 \succ \dots \succ s_p$.
- $\pi = ACB^p$. ■

5 Manipulators with non-additive preferences

Now we (more briefly) consider manipulators who have possibly non-separable preferences. There, several compact representation are possible, and we will show that under a very simple and reasonable succinct representation, the manipulation problem is computationally hard. Consider a two-agent problem with one manipulator A with non-additive preferences. One of the simplest forms of non-additive preferences are (unrestricted) dichotomous monotonic preferences: there is a set of objects $Good_A \subseteq \mathcal{O}$ such that (a) $Good_A$ is upward closed,

⁴We suspect this result is already known.

that is, if $S \subseteq S'$ and $S \in \text{Good}_A$ then $S' \in \text{Good}_A$, and (b) A equally likes all subsets in A and equally dislikes all subsets in $2^{\mathcal{O}} \setminus \text{Good}_A$, that is, $S \triangleright_A S'$ if and only if ($S' \in \text{Good}_A$ implies $S \in \text{Good}_A$). We know (see for instance [1]) that a dichotomous monotonic preference relation can be represented succinctly by a positive (negation-free) propositional formula φ_A of the language $\mathcal{L}_{\mathcal{O}}$ constructed from a set of propositional symbols isomorphic to \mathcal{O} . For instance, $o_1 \vee (o_2 \wedge o_3)$ means that any set containing o_1 or both o_2 and o_3 is good for A : $\{o_1, o_2, o_3\} \sim_A \{o_1, o_2\} \sim_A \{o_1, o_3\} \sim_A \{o_1\} \sim_A \{o_2, o_3\} \triangleright_A \sim_A \{o_2\} \sim_A \{o_3\} \sim_A \emptyset$.

Thus, a two-agent picking sequence manipulation problem for manipulator A with dichotomous monotonic preferences is a triple $\langle \mathcal{O}, \varphi_A, \triangleright_B, \pi \rangle$ where \mathcal{O} , \triangleright_B and π are as usual, and φ_A is a positive propositional formula of $\mathcal{L}_{\mathcal{O}}$.

Let us say that a picking strategy for A is *successful* if it gives her a set of objects in Good_A . Since all sets of objects in Good_A are equally good, optimal picking strategies coincide with successful strategies provided that there exists at least one (and with all strategies otherwise).

Proposition 7 *Deciding whether a manipulation problem $\langle \mathcal{O}, \varphi_A, \triangleright_B, \pi \rangle$ has a successful picking strategy is NP-complete, even if π is the alternating sequence.*

Proof: Membership is obvious (guess the picking strategy and apply it). Hardness follows by reduction from SAT. Let $\alpha = c_1 \wedge \dots \wedge c_k$ be a propositional formula under conjunctive normal form over a set of propositional symbols $\{x_1, \dots, x_p\}$. Define the following instance of manipulation $\langle \mathcal{O}, \varphi_A, \triangleright_B, \pi \rangle$:

- $\mathcal{O} = \{o_1, o'_1, \dots, o_p, o'_p\}$;
- for every clause c_i of α , let c'_i be the clause obtained by replacing every positive literal x_i by o_i and negative literal $\neg x_i$ by o'_i ; let α' be the conjunction of all clauses c'_i and finally, let $\varphi_A = \alpha' \wedge \bigwedge_{i=1}^p (o_i \vee o'_i)$;
- $\pi = (AB)^p$
- $\triangleright_B = o_1 \triangleright o'_1 \triangleright o_2 \triangleright o'_2 \triangleright \dots \triangleright o_p \triangleright o'_p$.

If φ is satisfiable then let $\omega \models \varphi$; consider the picking strategy in which, at her i th picking stage A picks o_i if ω assigns x_i to true and o'_i if ω assigns x_i to false (and then B will pick o'_i if A has picked o_i , and o_i if A has picked o'_i). The resulting set of objects will be exactly $S = \{o_i | \omega \models x_i\} \cup \{o'_i | \omega \models \neg x_i\}$, and since $\omega \models \alpha$, we have that S satisfies α' ; moreover, clearly S satisfies $o_i \vee o'_i$ for each i , therefore, S satisfies φ_A .

Conversely, assume that A has a picking strategy that leads to a set of objects S satisfying φ_A . Because S contains one of o_i and o'_i for each i , and because $|S| = p$, S contains *exactly* one of o_i and o'_i for each i . Let ω be the interpretation over $\{x_1, \dots, x_p\}$ defined by $\omega \models x_i$ if $o_i \in S$ and $\omega \models \neg x_i$ if $o_i \notin S$. Because S satisfies α' , we have that $\omega \models \alpha$, that is, α is satisfiable. ■

Obviously, NP-hardness, carries on to all three types of coalitional manipulation.

6 Price of manipulation

The results of Sections 3 and 4 can be seen as an argument against using picking sequences. However, we continue thinking that, in spite of this, picking sequences is one of the best protocol for allocating objects without prior elicitation, because of its simplicity. Moreover, we now temper the results about the easiness of manipulation by showing that, at least in some simple cases, the worst-case price of manipulation (that is, the loss of social welfare caused by one agent manipulating) is not significantly high. Note that, to define the price of manipulation properly, we need to deal with numerical preferences. A classical technique to translate ordinal preferences into utility functions is to use *scoring functions*, as in voting. Formally, a scoring function g is a non-decreasing function from $\{1, \dots, m\}$ to \mathbb{R} . $g(j)$ is the utility an agent i receives for an object ranked at position $j \triangleright_i$. For each agent i , u_i is

computed by summing the utilities $g(j)$ for each object i receives, using the same scoring function g .

Definition 2 Let $P = \langle \triangleright_A, \triangleright_B, \dots \rangle$ be a preference profile, π be a sequence, and g be a scoring function. Let σ_A be a successful manipulating strategy for agent A . The price of manipulation for σ_A given (P, π, g) is the ratio:

$$PM_{P, \pi, g}(\sigma_A) = \frac{\sum_{i \in N} (u_i(\mathcal{O}(\pi, \sigma_A \cdot \sigma_{-A}^*)))}{\sum_{i \in N} (u_i(\mathcal{O}(\pi, \sigma_N^*)))}.$$

In other words, the price of manipulation is the ratio between the collective utility if all agents play sincerely and the collective utility if agent A plays strategically and all the other ones play sincerely. In the following, we will focus on the two agents case and Borda scoring function [3, 2], where the utility of the i^{th} best object for an agent is $m - i + 1$.

Proposition 8 For each $(\triangleright_A, \triangleright_B)$, π , we have:

$$PM_{P, \pi, g_{\text{Borda}}}(\sigma_A) \geq 1 - \frac{2 \sum_{s \in \{ps(\pi, B)_{1, \dots}\}} PS(s) - 2}{m^2 + m - 2PS(m)^2 + 2mPS(m) + 2PS(m)},$$

where $PS(s)$ is the number of picking stages of agent A until step s .

Proof: Let σ_A be a successful strategy for A , and u_A, u_B (resp. u'_A, u'_B) be the utilities obtained by A and B if they play sincerely (resp. A plays according to σ_A and B plays sincerely). At its i^{th} picking stage $ps(\pi, B)_i$, B can obtain in the best case its i^{th} object, and obtains in the worst case its $(i + PS(ps(\pi, B)_i))^{\text{th}}$ object. Hence $u'_B \geq u_B - \sum_{s \in \{ps(\pi, B)_{1, \dots}\}} PS(s)$. Moreover, since σ_A is successful, $u'_A \geq u_A + 1$. And finally, since in the best case, each agent receives his most preferred objects, we have $u_A + u_B \leq \sum_{k=1}^{PS(m)} (m - k + 1) + \sum_{k=1}^{m-PS(m)} (m - k + 1) = 1/2 \times (m^2 + m - 2PS(m)^2 + 2mPS(m) + 2PS(m))$. Hence:

$$\frac{u'_A + u'_B}{u_A + u_B} \geq 1 - \frac{\sum_{s \in \{ps(\pi, B)_{1, \dots}\}} PS(s) - 1}{u_A + u_B}.$$

Replacing $u_A + u_B$ by its upper bound completes the result. ■

Corollary 3 If π is the alternating sequence (for an even number of objects),

$$PM_{(\triangleright_A, \triangleright_B), ABABAB \dots, g_{\text{Borda}}}(\sigma_A) \geq 1 - \frac{m^2 + m - 4}{3m^2 + 4m}.$$

Thus, at least in this simple case, manipulation by a single agent does not have a dramatic effect on the social welfare, as it will cause only approximately 33% loss of utility in the worst case. (We also have results about the *additive* price of manipulation, that is, the worst-case difference between social welfare when A plays a sincere strategy and the social welfare when A plays strategically; due to the lack of space, we omit them.)

7 Conclusion

We have studied the computational issues of manipulating picking sequences. In the case of a single manipulator, we have found that for any number of non-manipulators and any picking sequence, finding an optimal manipulation is easy. This result carries over to coalitional manipulation when transfers of objects and side payments are allowed. These results are somehow tempered, first by the NP-hardness results about coalitional manipulation without monetary transfers, and by the fact that, at least in simple cases, the price of manipulation is not significantly high.

References

- [1] Sylvain Bouveret and Jérôme Lang. Efficiency and envy-freeness in fair division of indivisible goods: Logical representation and complexity. *Journal of Artificial Intelligence Research (JAIR)*, 32:525–564, 2008.
- [2] Sylvain Bouveret and Jérôme Lang. A general elicitation-free protocol for allocating indivisible goods. In *Proc. of IJCAI'11*, 2011.
- [3] Steven J. Brams and Daniel King. Efficient fair division: Help the worst off or avoid envy? *Rationality and Society*, 17:387–421, 2005.
- [4] Steven J. Brams and Alan D. Taylor. *The Win-win Solution. Guaranteeing Fair Shares to Everybody*. W. W. Norton & Company, 2000.
- [5] Eric Budish and Estelle Cantillon. The multi-unit assignment problem: Theory and evidence from course allocation at harvard. *American Economic Review*, 102(5):2237–71, August 2012.
- [6] Piotr Faliszewski and Ariel D. Procaccia. AI’s war on manipulation: Are we winning? *AI Magazine*, 31(4):53–64, 2010.
- [7] Thomas Kalinowski, Nina Narodytska, and Toby Walsh. A social welfare optimal sequential allocation procedure. In Francesca Rossi, editor, *IJCAI. IJCAI/AAAI*, 2013.
- [8] Thomas Kalinowski, Nina Narodytska, Toby Walsh, and Lirong Xia. Strategic behavior when allocating indivisible goods sequentially. In Marie desJardins and Michael L. Littman, editors, *AAAI*. AAAI Press, 2013.
- [9] David A. Kohler and R. Chandrasekaran. A class of sequential games. *Operations Research*, 19(2):270–277, 1971.
- [10] Lars-Gunnar Svensson. Strategy-proof allocation of indivisible goods. *Social Choice and Welfare*, 16, 1999.

Sylvain Bouveret
LIG – Grenoble INP
France
Email: `sylvain.bouveret@imag.fr`

Jérôme Lang
CNRS – LAMSADE, Université Paris Dauphine
France
Email: `lang@lamsade.dauphine.fr`